



# FlushLine Deckhatches



## Sleek profile for today's power craft

Gebo's new 'FlushLine' deckhatches offer exciting options for power craft - and like our FlushLine portlights, their sleek, low-profile looks work perfectly with the smooth, flowing lines of today's boat designs.

acrylic. Clear, bronze and green acrylic are available to special order.

Adjustable friction hinges hold the hatch open in any position up to 180°, including a fully-locked ventilation position. For maximum security the handles incorporate a sturdy, easy-to-use blue locking button.

### **BENEFITS THAT USERS WILL APPRECIATE DAY AFTER DAY; YEAR AFTER YEAR**

#### **COLOUR OF THE ACRYLIC**

As standard the hatch is being manufactured with grey smoke

End users will appreciate Gebo design and quality too. There are no sharp edges to snag clothes or lines.



*For added convenience, optional stays are available for all but the smallest-size FlushLine hatch.*

#### **CATEGORY:**

**A + B + C + D**

See page 37


## Accessories



FlushLine hatch




Mosquito screen



Fly-blind



ABS Innerrim



Aluminium innerrim




■ Extra-low profile: only 24 mm above deck



■ Friction hinges for easy, stepless opening up to 180°



■ No sharp corners to catch lines or clothing



### FlushLine hatches - sizes



Hatches should be fitted to a flat surface with a maximum tolerance of 1mm.

### FLUSHLINE HATCHES - SPECIFICATIONS

Art.nr.	Cut-out size L x B	Radius	Overall size L x B	Radius	Acrylic	Mosquito screen	Mosquito screen size	Aluminium Innerrim	ABS Innerrim	Fly-Blind
80.50.30.00	275x275mm	42	330x330mm	70	8mm	84.50.00.00		84.00.94.2M	84.60.00.00	
80.50.31.00	310x310mm	42	365x365mm	70	8mm					
80.50.35.00	325x185mm	42	380x240mm	70	8mm	84.50.00.12	324x184mm	84.00.14.2M		
80.50.60.00	420x420mm	42	475x475mm	70	8mm	84.50.00.01	419x419mm	84.01.04.2M	84.60.00.01	
80.55.60.00	420x420mm	42	475x475mm	70	10mm	84.50.00.01	419x419mm	84.01.04.2M	84.60.00.01	
80.50.60.50*	420x420mm	42	475x475mm	70	8mm	84.50.00.01	419x419mm	84.01.04.2M	84.60.00.01	
80.50.40.01	450x320mm	42	505x375mm	70	8mm	84.50.00.09	449x319mm	84.00.24.2M		84.70.01.50
80.55.40.01	450x320mm	42	505x375mm	70	10mm	84.50.00.09	449x319mm	84.00.24.2M		84.70.01.50
80.50.80.00	470x470mm	42	525x525mm	70	8mm	84.50.00.02	469x469mm	84.01.14.2M	84.60.00.02	
80.50.80.50*	470x470mm	42	525x525mm	70	8mm	84.50.00.02	469x469mm	84.01.14.2M	84.60.00.02	
80.50.70.50	500x370mm	42	555x425mm	70	8mm	84.50.00.04	499x369mm	84.00.34.2M	84.60.00.06	84.70.01.51
80.50.70.60*	500x370mm	42	555x425mm	70	8mm	84.50.00.04	499x369mm	84.00.34.0M	84.60.00.06	84.70.01.51
80.55.90.00	510x510mm	42	565x565mm	70	10mm	84.50.00.03	509x509mm	84.01.24.2M	84.60.00.03	84.70.01.52
80.55.90.50*	510x510mm	42	565x565mm	70	10mm	84.50.00.03	509x509mm	84.01.24.2M	84.60.00.03	84.70.01.52
80.55.10.00	620x620mm	42	675x675mm	70	10mm	84.50.00.05	619x619mm	84.00.54.2M	84.60.00.05	84.70.01.53
80.56.00.50*	620x620mm	42	675x675mm	70	10mm	84.50.00.05	619x619mm	84.00.54.2M	84.60.00.05	84.70.01.53

\*=with stay (stay: Art.nr 84.50.00.00)

°= green acrylic



# FlushLine Deckhatches



## Round & Delta

The FlushLine deckhatches are made from finest quality seawater resistant anodised aluminium and have a standard smoke grey acrylic panel of 10 or 15mm thickness. All other parts including hinges and handles, are also constructed from

non-corrosive materials. As standard the hatch is being manufactured with grey smoke acrylic. Clear, bronze and green acrylic are available to special order.

**CATEGORY:**

**A + B + C + D**

*See page 37*



FlushLine Hatch Delta



FlushLine Hatch Round

### INTEGRATED STEPLESS HINGE

The stepless hinges create the opportunity to open the hatch in any position you like up to 180°. The hatch also has a lockable ventilation position that offers security while providing fresh air to the vessel! The extra sturdy, adjustable hinge will provide years of maintenance-free use.



### ACCESSORIES:

#### COLOUR OF THE ACRYLIC

As standard the hatch is being manufactured with grey smoke acrylic. Clear, bronze and green acrylic are available to special order.



ABS Innerrim



ABS Innerrim




■ *Extra-low profile: only 24 mm above deck*



■ *Friction hinges for easy, stepless opening up to 180°*



■ *No sharp corners to catch lines or clothing*



**FlushLine hatches - sizes**



**Round hatch**

**Delta hatch**



277mm



420mm



518mm



530x435mm

Hatches should be fitted to a flat surface with a maximum tolerance of 1mm.

**FLUSHLINE HATCHES ROUND & DELTA - SPECIFICATIONS**

Art.No.	Cut-out size	Radius	Overall Diameter	Radius	Acrylic	Mosquito screen	ABS Innerrim
<b>ROUND HATCH:</b>							
<b>Anodised:</b>							
80.55.27.70	277mm		282mm		10mm	84.50.00.16	
80.55.42.00	420mm		475mm		10mm	84.50.00.14	84.60.00.08
80.55.51.00	518mm		573mm		10mm	84.50.00.15	84.60.00.09
<b>DELTA HATCH:</b>							
80.50.50.00	530x435mm	42	585x490	70	8mm	84.50.00.18	84.60.00.07